

TGC Critical Notices for Gas Day 06-29-2026

| Notice Type | Posted Date/Time | Notice Eff Date/Time | Notice ID | Subject |
|-------------|-----------------------|-----------------------|-----------|--|
| Maint | 2026-06-24 13:29:00.0 | 2026-06-24 13:29:00.0 | 65347 | Trunkline Planned Maintenance Gulf South Lincoln Road |
| Maint | 2026-06-24 13:26:00.0 | 2026-06-24 13:26:00.0 | 65346 | Trunkline South Texas Maintenance Update #5 |
| Maint | 2026-06-02 12:22:00.0 | 2026-06-02 12:22:00.0 | 64428 | Trunkline South Texas Maintenance Update #4 |
| Other | 2026-04-22 13:19:00.0 | 2026-04-22 13:19:00.0 | 63175 | TGC Kaplan 300-1 line Hydrotest Update |
| Maint | 2026-04-09 09:58:00.0 | 2026-04-09 09:58:00.0 | 62815 | Trunkline South Texas Maintenance Update #3 |
| Maint | 2026-03-31 10:42:00.0 | 2026-03-31 10:42:00.0 | 62618 | Trunkline South Texas Maintenance Update #2 |
| Maint | 2026-03-16 13:13:00.0 | 2026-03-16 13:13:00.0 | 62359 | TGC Longville Station Unplanned Maintenance Completed |
| Maint | 2026-03-10 13:15:00.0 | 2026-03-10 13:15:00.0 | 62234 | Trunkline South Texas Maintenance Update #1 |
| Maint | 2026-03-05 14:07:00.0 | 2026-03-05 14:07:00.0 | 62130 | TGC Longville Noise Survey |
| Maint | 2026-03-05 14:04:00.0 | 2026-03-05 14:04:00.0 | 62128 | TGC Kaplan Station Maintenance |
| Maint | 2026-03-02 14:26:00.0 | 2026-03-02 14:26:00.0 | 62045 | TGC Pollock Station Outage |
| Maint | 2026-03-02 14:22:00.0 | 2026-03-02 14:22:00.0 | 62044 | TGC Longville Station Maintenance |
| Maint | 2026-03-02 14:16:00.0 | 2026-03-02 14:16:00.0 | 62043 | TGC Kountze Station Outage |
| Other | 2026-03-02 14:07:00.0 | 2026-03-02 14:07:00.0 | 62042 | TGC Kaplan 300-1 line Hydrotest |
| Maint | 2026-03-02 07:18:00.0 | 2026-03-02 07:18:00.0 | 62028 | Trunkline South Texas Maintenance |
| Maint | 2026-02-19 15:12:00.0 | 2026-02-19 15:12:00.0 | 61707 | TGC Kaplan Station Maintenance Update #1 |
| Maint | 2026-02-16 12:57:00.0 | 2026-02-16 12:57:00.0 | 61631 | TGC Longville Station Unplanned Maintenance |
| Maint | 2026-02-05 15:09:00.0 | 2026-02-05 15:09:00.0 | 61416 | Trunkline Pigging: Longville Compressor Station to Gate Valve 203A |
| Oper Alert | 2026-02-05 06:59:00.0 | 2026-02-05 06:59:00.0 | 61391 | Weather Alert Lifted |
| Maint | 2026-01-30 09:32:00.0 | 2026-01-30 09:32:00.0 | 61068 | TGC Kaplan Station Maintenance |
| Oper Alert | 2026-01-13 08:15:00.0 | 2026-01-13 08:15:00.0 | 60518 | Trunkline Weather Alert |
| Oper Alert | 2025-12-16 08:02:00.0 | 2025-12-16 08:02:00.0 | 60101 | Weather Alert Lifted |
| Oper Alert | 2025-12-10 07:26:00.0 | 2025-12-10 07:26:00.0 | 59980 | Trunkline Weather Alert |
| Maint | 2025-11-07 11:13:00.0 | 2025-11-07 11:13:00.0 | 59647 | TGC Centerville Station Maintenance |
| Maint | 2025-11-07 11:11:00.0 | 2025-11-07 11:11:00.0 | 59646 | TGC Kaplan Station Maintenance Update #1 |
| Maint | 2025-10-22 14:46:00.0 | 2025-10-22 14:46:00.0 | 59407 | TGC Kaplan Station Maintenance |

| Notice Type | Posted Date/Time | Notice Eff Date/Time | Notice ID | Subject |
|-------------|-----------------------|-----------------------|-----------|--|
| Maint | 2025-09-08 09:03:00.0 | 2025-09-08 09:03:00.0 | 58104 | TGC Kountze Station Outage |
| Maint | 2025-08-26 13:23:00.0 | 2025-08-26 13:23:00.0 | 57589 | TGC Kaplan Station Maintenance |
| Maint | 2025-08-25 07:07:00.0 | 2025-08-25 07:07:00.0 | 57529 | TGC Centerville Station Maintenance |
| Maint | 2025-08-13 14:56:00.0 | 2025-08-13 14:56:00.0 | 56923 | TGC Centerville Station Maintenance |
| Maint | 2025-08-12 13:59:00.0 | 2025-08-12 13:59:00.0 | 56860 | TGC Cypress Hooks Outage Update #1 |
| Maint | 2025-08-05 10:46:00.0 | 2025-08-05 10:46:00.0 | 56567 | TGC Pollock Station Maintenance |
| Maint | 2025-08-05 10:42:00.0 | 2025-08-05 10:42:00.0 | 56566 | TGC Cypress Hooks Outage |
| Maint | 2025-07-28 14:02:00.0 | 2025-07-28 14:02:00.0 | 56099 | TGC Longville Station Maintenance |
| Maint | 2025-07-17 08:23:00.0 | 2025-07-17 08:23:00.0 | 55399 | TGC Reduced Capacity at Longville Station Update |
| Maint | 2025-06-30 09:02:00.0 | 2025-06-30 09:02:00.0 | 54602 | Gillis Hub (formerly LA Storage) Outage Update #2 |
| Maint | 2025-06-27 10:43:00.0 | 2025-06-27 10:43:00.0 | 54517 | Trunkline Pigging Update #1 |
| Maint | 2025-06-27 10:37:00.0 | 2025-06-27 10:37:00.0 | 54516 | Gillis Hub (formerly LA Storage) Outage Update #1 |
| Maint | 2025-06-24 12:23:00.0 | 2025-06-24 12:23:00.0 | 54395 | Gillis Hub (formerly LA Storage) Outage |
| Maint | 2025-06-18 14:33:00.0 | 2025-06-18 14:33:00.0 | 54172 | Trunkline Pigging: Longville Compressor Station to Lake Charles LNG Terminal |
| Maint | 2025-05-19 14:34:00.0 | 2025-05-19 14:34:00.0 | 53388 | TGC Kaplan Station Maintenance - Postponed |
| Maint | 2025-05-16 09:42:00.0 | 2025-05-16 09:42:00.0 | 53317 | TGC Maintenance |
| Maint | 2025-05-16 07:12:00.0 | 2025-05-16 07:12:00.0 | 53315 | TGC Kaplan Station Maintenance |
| Other | 2025-05-05 08:10:00.0 | 2025-05-05 08:10:00.0 | 53136 | New Nominations and Scheduling On-Call Phone Number Reminder |
| Other | 2025-03-26 10:04:00.0 | 2025-03-26 10:04:00.0 | 52402 | New Nominations and Scheduling On-Call Phone Number |
| Maint | 2025-03-20 10:42:00.0 | 2025-03-20 10:42:00.0 | 52304 | TGC Kaplan Station Maintenance Update #2 |
| Maint | 2025-03-20 07:49:00.0 | 2025-03-20 07:49:00.0 | 52301 | TGC Reduced Capacity at Longville Station |
| Maint | 2025-03-19 08:01:00.0 | 2025-03-19 08:01:00.0 | 52286 | TGC Kaplan Station Maintenance Update #1 |
| Weather | 2025-02-22 13:37:00.0 | 2025-02-22 13:37:00.0 | 51986 | Trunkline Weather Alert Lifted |
| Maint | 2025-02-18 14:49:00.0 | 2025-02-18 14:49:00.0 | 51896 | TGC Kaplan Station Maintenance |
| Maint | 2025-02-18 13:49:00.0 | 2025-02-18 13:49:00.0 | 51890 | TGC Kountze Station Outage |

| Notice Type | Posted Date/Time | Notice Eff Date/Time | Notice ID | Subject |
|-------------|-----------------------|-----------------------|-----------|---|
| Maint | 2025-02-18 13:43:00.0 | 2025-02-18 13:43:00.0 | 51889 | TGC Longville Station Maintenance |
| Weather | 2025-02-13 08:58:00.0 | 2025-02-13 08:58:00.0 | 51750 | Weather Alert |
| Weather | 2025-01-24 07:30:00.0 | 2025-01-24 07:30:00.0 | 51284 | Weather Alert Lifted |
| Weather | 2025-01-02 08:26:00.0 | 2025-01-02 08:26:00.0 | 50498 | Weather Alert |
| Maint | 2024-12-31 09:41:00.0 | 2024-12-31 09:41:00.0 | 50446 | TGC Longville Station Unplanned Maintenance Completed |
| Maint | 2024-12-30 07:51:00.0 | 2024-12-30 07:51:00.0 | 50433 | TGC Longville Station Unplanned Maintenance |
| Maint | 2024-12-09 08:59:00.0 | 2024-12-09 08:59:00.0 | 50016 | TGC Kaplan Station Maintenance |
| Maint | 2024-11-05 06:41:00.0 | 2024-11-05 06:41:00.0 | 49143 | TGC Kaplan Station Maintenance |
| Maint | 2024-10-22 07:54:00.0 | 2024-10-22 07:54:00.0 | 48875 | TGC Longville Station Unplanned Maintenance Completed |
| Maint | 2024-10-10 09:21:00.0 | 2024-10-10 09:21:00.0 | 48705 | TGC Centerville Station Maintenance |
| Maint | 2024-09-23 12:41:00.0 | 2024-09-23 12:41:00.0 | 48233 | TGC Kaplan Station Maintenance |
| Weather | 2024-09-11 07:58:00.0 | 2024-09-11 07:58:00.0 | 47794 | Hurricane Francine Update #1 |
| Weather | 2024-09-10 11:17:00.0 | 2024-09-10 11:17:00.0 | 47763 | Tropical Storm Francine |
| Maint | 2024-08-07 14:07:00.0 | 2024-08-07 14:07:00.0 | 46611 | TGC Kaplan Station Maintenance |
| Oper Alert | 2024-08-06 16:31:00.0 | 2024-08-06 16:31:00.0 | 46582 | Unplanned Outage: Sabine @ Lake Charles Meter Station Completed |
| Oper Alert | 2024-08-05 15:26:00.0 | 2024-08-05 15:26:00.0 | 46545 | Unplanned Outage: Sabine @ Lake Charles Meter Station |
| Maint | 2024-07-26 14:01:00.0 | 2024-07-26 14:01:00.0 | 46277 | Longville Station Unplanned Maintenance |
| Maint | 2024-07-19 09:05:00.0 | 2024-07-19 09:05:00.0 | 46059 | TGC Longville Station Unplanned Maintenance Completed |
| Maint | 2024-07-17 08:58:00.0 | 2024-07-17 08:58:00.0 | 45983 | Longville Station Unplanned Maintenance |
| Maint | 2024-07-12 08:58:00.0 | 2024-07-12 08:58:00.0 | 45816 | TGC Kountze Station Outage Completed |
| Maint | 2024-07-11 08:54:00.0 | 2024-07-11 08:54:00.0 | 45778 | TGC Longville Station Outage - Safeties and Electrical Inspection Update #1 |
| Maint | 2024-06-25 11:46:00.0 | 2024-06-25 11:46:00.0 | 45328 | TGC Kaplan Station Maintenance |
| Maint | 2024-06-25 09:32:00.0 | 2024-06-25 09:32:00.0 | 45320 | TGC Longville Station Outage - Cancelled |
| Maint | 2024-06-24 08:46:00.0 | 2024-06-24 08:46:00.0 | 45287 | TGC Longville Station Outage - Safeties and Electrical Inspection |
| Maint | 2024-06-24 08:36:00.0 | 2024-06-24 08:36:00.0 | 45286 | TGC Beeville 100 Line Pipe Replacement |
| Maint | 2024-06-24 08:26:00.0 | 2024-06-24 08:26:00.0 | 45285 | TGC Longville Station Outage |

| Notice Type | Posted Date/Time | Notice Eff Date/Time | Notice ID | Subject |
|-------------|-----------------------|-----------------------|-----------|--|
| Maint | 2024-06-24 08:16:00.0 | 2024-06-24 08:16:00.0 | 45284 | TGC Kountze Station Outage |
| Maint | 2024-05-29 09:22:00.0 | 2024-05-29 09:22:00.0 | 44463 | TGC Kaplan Station Unplanned Maintenance |
| Other | 2024-05-28 12:30:00.0 | 2024-05-28 12:30:00.0 | 44434 | Bridgeline Meter Station Upgrade |
| Maint | 2024-05-23 07:16:00.0 | 2024-05-23 07:16:00.0 | 44258 | TGC Kaplan Station Maintenance Completed |
| Maint | 2024-05-20 09:00:00.0 | 2024-05-20 09:00:00.0 | 44178 | TGC Kaplan Station Maintenance |
| Maint | 2024-04-11 09:10:00.0 | 2024-04-11 09:10:00.0 | 43372 | TGC Longville Station Outage Update #2 Cancelled |
| Maint | 2024-04-09 06:48:00.0 | 2024-04-09 06:48:00.0 | 43348 | TGC Longville Station Outage Update #1 |
| Maint | 2024-03-19 08:57:00.0 | 2024-03-19 08:57:00.0 | 43181 | 03/19/2024 TGC Longville Station Outage |
| Other | 2024-02-27 12:52:00.0 | 2024-02-27 12:52:00.0 | 43033 | LA Storage Meter Tube Inspection Update #1 |
| Maint | 2024-02-26 07:55:00.0 | 2024-02-26 07:55:00.0 | 43017 | TGC Kountze Station Outage Update #1 |
| Maint | 2024-02-15 07:10:00.0 | 2024-02-15 07:10:00.0 | 42801 | TGC Kountze Station Outage |
| Other | 2024-02-14 09:37:00.0 | 2024-02-14 09:37:00.0 | 42776 | LA Storage Meter Tube Inspection Postponed |
| Other | 2024-02-07 07:40:00.0 | 2024-02-07 07:40:00.0 | 42613 | LA Storage Meter Tube Inspection |
| Weather | 2024-01-22 08:42:00.0 | 2024-01-22 08:42:00.0 | 42157 | Weather Alert Lifted |
| Other | 2024-01-09 09:27:00.0 | 2024-01-09 09:27:00.0 | 41809 | Kaplan Station Maintenance |
| Weather | 2024-01-09 08:42:00.0 | 2024-01-09 08:42:00.0 | 41807 | Weather Alert |
| Oper Alert | 2023-12-21 09:27:00.0 | 2023-12-21 09:27:00.0 | 41365 | Unplanned Outage Update #1 Cypress Station |
| Oper Alert | 2023-12-19 10:56:00.0 | 2023-12-19 10:56:00.0 | 41323 | Unplanned Outage Cypress Station |
| Other | 2023-12-05 12:33:00.0 | 2023-12-05 12:33:00.0 | 40911 | TGC Kountze Station Modifications |
| Force Maj | 2023-11-10 16:06:00.0 | 2023-11-10 16:06:00.0 | 40435 | Notice of Force Majeure Lifted Longville Station |
| Force Maj | 2023-11-09 15:08:00.0 | 2023-11-09 15:08:00.0 | 40404 | Notice of Force Majeure Longville Station |
| Maint | 2023-11-02 12:55:00.0 | 2023-11-02 12:55:00.0 | 40151 | HPL Silsbee Unplanned Maintenance Completed |
| Maint | 2023-10-31 07:59:00.0 | 2023-10-31 07:59:00.0 | 40060 | HPL Silsbee Unplanned Maintenance |
| Maint | 2023-10-30 09:16:00.0 | 2023-10-30 09:16:00.0 | 40046 | HPL Silsbee Unplanned Maintenance Completed |
| Maint | 2023-10-26 12:58:00.0 | 2023-10-26 12:58:00.0 | 39969 | Meter Tube Cleaning |

| Notice Type | Posted Date/Time | Notice Eff Date/Time | Notice ID | Subject |
|-------------|-----------------------|-----------------------|-----------|---|
| Maint | 2023-10-23 10:48:00.0 | 2023-10-23 10:48:00.0 | 39880 | TGC Silsbee Unplanned Outage |
| Maint | 2023-10-02 07:41:00.0 | 2023-10-02 07:41:00.0 | 39446 | Meter Station Flow Conditioner Inspection |
| Maint | 2023-09-25 08:46:00.0 | 2023-09-25 08:46:00.0 | 39251 | TGC Longville Station Outage Update #2 |
| Maint | 2023-09-21 08:09:00.0 | 2023-09-21 08:09:00.0 | 39173 | TGC Piping Modifications Update #1 |
| Other | 2023-09-19 16:52:00.0 | 2023-09-19 16:52:00.0 | 39118 | Meter Station Control Valve Inspection |
| Maint | 2023-09-19 10:28:00.0 | 2023-09-19 10:28:00.0 | 39096 | TGC Longville Station Outages Update #1 |
| Maint | 2023-09-14 08:09:00.0 | 2023-09-14 08:09:00.0 | 38917 | TGC Piping Modifications |
| Maint | 2023-09-14 07:57:00.0 | 2023-09-14 07:57:00.0 | 38916 | TGC Beeville 100 Line Pipe Replacement |
| Other | 2023-09-13 09:20:00.0 | 2023-09-13 09:20:00.0 | 38875 | Meter Station Control Valve Inspection |
| Maint | 2023-09-06 10:14:00.0 | 2023-09-06 10:14:00.0 | 38672 | TGC Backhaul Modification Project Planned Outage Update #1 |
| Maint | 2023-09-05 08:54:00.0 | 2023-09-05 08:54:00.0 | 38630 | TGC Longville Station Outages |
| Maint | 2023-09-05 08:48:00.0 | 2023-09-05 08:48:00.0 | 38629 | TGC Backhaul Modification Project Planned Outage |
| Maint | 2023-07-25 07:14:00.0 | 2023-07-25 07:14:00.0 | 36954 | TGC Edna 100 Line Pipe Replacement Update #1 |
| Maint | 2023-07-19 08:15:00.0 | 2023-07-19 08:15:00.0 | 36657 | TGC Edna 100 Line Pipe Replacement |
| Maint | 2023-07-13 13:21:00.0 | 2023-07-13 13:21:00.0 | 36471 | Trunkline South Texas Maintenance Update #1 |